

## QUOTATION NOTICE

Sealed quotations are invited from the interested vendors/suppliers for purchase and installation of "24 Nos Batteries" in the Computer Centre, University of North Bengal. Purchase is accepted in **buyback** mode. The specification of the said batteries in detail has been given below.

All Quotations are to be submitted accompanying with GST & PAN photocopies, duly stamped and signed along with valid certificates as sole distributor/dealership, if applicable, to Head, Computer Centre, University of North Bengal within tenth(10) days from the date of advertisement. For further query in this matter, please contact at 9474027800.

### **Terms and Condition:**

1. Copy of current year PT challan, Trade License, PAN card, GST registration certificate duly signed & stamped shall be accompanied with the quotations.
2. Rate should be inclusive of all taxes and charges. However, the rate of GST and amount should be shown separately.
3. Quotation should be valid at least three months.
4. Supply shall be done within 10 days after issuing supply order.
5. All the items should be supplied at a time within the speculated time after getting the purchase order. Partially supplied items will not be accepted. If such terms and conditions are mentioned in the quotation that will be technically rejected.
6. Item(s) should be delivered in the Department of Chemistry, University of North Bengal.
7. All payment will be made as per financial Rules of the University of North Bengal.
8. The University reserves the right to accept in part or in full or reject any or more quotation(s) without assigning any reason or cancel the tendering process and reject all quotations at any time prior to award of contract, without incurring any liability, whatsoever to the affected bidder or bidder(s).
9. The last date for submission of the tender form is up to 05:30 P.M. of the tenth (10th) day on and from the date of publication of the advertisement and will be opened on after two working days from stipulated time of the acceptance period at the office of Head, Computer Centre, University of North Bengal.

Advt. No.: 345/R-2020 dt: 10-11-2020

Registrar

### **Specification/Details of existing batteries to be replaced:**

<b>Type of Battery</b>	<b>Quantity</b>	<b>Use of batteries</b>
Exide 12V, 42AH	24	15KVA UPS